

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Water Resources Department - Shifting of Head quarters of Q.C & I Division No.3, Owk @ Panyam and its four sub divisions to Anantapuram District – Permission - Accorded.

WATER RESOURCES (PROJECTS.III) DEPARTMENT

G.O.RT.No. 223

Dated: 18-05-2020.

Read:

From ENC (Admn), Vijayawada Letter No. Rc/ENC(Admin)/ADA/ AE/ QC/ 1794/2015 (P.F), Dt.03-03-2020.

&&&&

ORDER:

In the letter read above, the Engineer-in-Chief (Admin), Vijayawada has requested the Government to accord permission to shift the Q.C. & I Division No.3, Owk @ Panyam and its four sub divisions to Anantapuramu permanently alongwith technical and ministerial staff for making frequent quality control checks of works in Anantapuramu District duly renaming as Q. C. Division and Q.C Sub Divisions respectively for the reasons mentioned therein.

2. Government after careful examination of the proposal of the Engineer-in-Chief (Admin), Vijayawada hereby accorded permission to the ENC (Admn.), Vijayawada to shift the Q.C.&I Division, No.3, Owk @ Panyam and its four sub divisions to Anantapuramu District permanently alongwith technical and ministerial staff for making frequent quality control checks of works in Anantapuramu District duly renaming as Q.C. Division and Q.C Sub Divisions as under:

Sl. No.	Existing Name	Changed Name
1.	Q.C. & I Division No.3, Owk @ Panyam	Quality Control Division (WRD), Anantapuramu
2.	Q.C. & I Sub-Division No.1, Owk	Quality Control Sub-Division No.1(WRD), Anantapuramu
3.	Q.C. & I Sub-Division No.2, Owk	Quality Control Sub-Division No.2(WRD), Anantapuramu
4.	Q.C. & I Sub-Division No.3, Owk @ Panyam	Quality Control Sub-Division No.3(WRD), Anantapuramu
5.	Q.C. & I Sub-Division No.4, Owk @ Panyam	Quality Control Sub-Division No.4(WRD), Anantapuramu

...2/-

3. The Engineer-in-Chief(Admin), Vijayawada shall take necessary action accordingly in the matter subject to the following conditions:

i)	The sanctioned strength of the QC&I Division, Owk @ Panyam is 45 (Division staff 28, Sub Division staff -17) and the present working strength is 31 (23+ 8) shall not be exceeded.
ii)	The financial implication due to change of head quarters from Panyam (12% HRA) to Anantapuram (20% HRA) has to be met from the savings by claiming T.A. bills with Head Quarters at Anantapuram instead of claiming from Panyam.
iv)	Action has to be initiated to drop the audit para with title “surplus staff due to insufficient workload“ vide IR para No.1/2013-14 against the accounts of the Q.C Division stating that there is no sufficient work load for this Q.C Division, during the year 2013-14.
v)	The Q.C. checks of works in Kurnool District shall be allocated to other three Quality Control Divisions functioning One at Kurnool and remaining two at Nandyal.
vi)	The proposed Quality Control Division and its four sub divisions have to be accommodated in the existing vacant buildings of Irrigation Circle, Anantapuramu to avoid financial implication towards accommodation.
vii)	After proposed shifting also, the administrative control of the entire staff of Division will remain under the control of Chief Engineer (Projects), Kurnool and will function under the technical control of Superintending Engineer, Designs & Q.C , Kadapa as being functioned now.

4. This order issues with the concurrence of Finance (FMU.WR.II) Department vide their UO No. FIN01-FMU0MRAS(WR2)/68/2020-FMU-WR-II, dated:31-03-2020.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYA NATH DAS

SPECIAL CHIEF SECRETARY TO GOVERNMENT

To

The Engineer-in-Chief (Admn.), Vijayawada.

Copy to: The Chief Engineer (P), Kurnool.

The Chief Engineer (P), Ananthapuramu.

The Chief Engineer, Quality control, Rayalaseema Region, Kadapa

Finance (FMU.WR.II) Department

PS to Special Chief Secretary (WRD)

PS to Minister (WRD)

File No.ICD01-MJIR/194/2020/Proj.III (1128977)

SF/SC

//Forwarded::By Order//

SECTION OFFICER